

Recombinant Mouse IL3 Protein

For Research Use Only

1. Basic Product Information

Catalog No.: REP51216

Size: 10ug, 100ug

Protein Name: Interleukin-3 (IL-3) (Hematopoietic growth factor) (Mast cell growth factor) (MCGF) (Multipotential colony-stimulating factor) (P-cell-stimulating factor)

Synonym: Il3, Csfmu, Il-3

UniProt ID: P01586

UniProt Link: www.uniprot.org/uniprotkb/P01586/entry

Species Source: Mouse

Expression System: HEK293T eukaryotic cell expression system Sequence

Length: 166 AA

Molecular Weight: 19 KD

Protein Tag: C-terminal His6

2. Amino Acid Sequence

MVLASSTTSIHTMLLLLLMLFHLGLQASISGRDTHRLTRTLNCSSIVKEIIGKLPEPELKTDDDEGPSLRN
KSFRRVNLSKFVESQGEVDPEDRYVIKSNLQKLNCCCLPTSANDSALPGVFIRDLDLDFRKKLRFYMH
LNDLETVLTSRPPQPASGSVSPNRGTVEC

3. Buffer Composition

Liquid format: PBS-based buffer containing 50% glycerol. Glycerol concentration can be customized upon customer request; please state special requirements when placing your order.

Lyophilized format: Buffer before lyophilization is PBS supplemented with 6% trehalose.

4. Storage Conditions

Upon receipt, store the product at -20 °C or -80 °C. Aliquot the product for on-demand use to preserve protein activity and prevent denaturation and inactivation caused by repeated freeze-thaw cycles.

5. Product Description

This product is recombinant Interleukin-3 (IL-3) (Hematopoietic growth factor) (Mast cell growth factor) (MCGF) (Multipotential colony-stimulating factor) (P-cell-stimulating factor) produced using the HEK293T eukaryotic cell expression system. It is suitable for in-vitro functional assays, protein-protein interaction studies, antibody preparation and other biomedical research applications.

Protein Function: Cytokine secreted predominantly by activated T-lymphocytes as well as mast cells and osteoblastic cells that controls the production and differentiation of hematopoietic progenitor cells into lineage-restricted cells. Also stimulates mature basophils, eosinophils, and monocytes to become functionally activated. In addition, plays an important role in neural cell proliferation and survival. Participates as well in bone homeostasis and inhibits osteoclast differentiation by preventing NF-kappa-B nuclear translocation and activation. Mechanistically, exerts its biological effects through a receptor composed of IL3RA subunit and a signal transducing subunit IL3RB (By similarity). Receptor stimulation results in the rapid activation of JAK2 kinase activity leading to STAT5-mediated transcriptional program (PubMed:10376805, PubMed:31990690, PubMed:8378315). Alternatively, contributes to cell survival under oxidative stress in non-hematopoietic systems by activating pathways mediated by PI3K/AKT and ERK (By similarity).

Subcellular Localization: Secreted.

6. Notes

- Avoid repeated freeze-thaw cycles to maintain protein stability and biological activity.
- Please specify special buffer-composition requirements at the time of order placement.
- For research use only. Not intended for clinical diagnosis, therapeutic use or commercial manufacturing.