

# Recombinant Mouse CCN4 Protein

**For Research Use Only**

## 1. Basic Product Information

Catalog No.: REP51170

Size: 10ug, 100ug

Protein Name: CCN family member 4 (ELM-1) (WNT1-inducible-signaling pathway protein 1) (WISP-1)

Synonym: Ccn4, Elm1, Wisp1

UniProt ID: O54775

UniProt Link: [www.uniprot.org/uniprotkb/O54775/entry](http://www.uniprot.org/uniprotkb/O54775/entry)

Species Source: Mouse

Expression System: HEK293T eukaryotic cell expression system Sequence

Length: 367 AA

Molecular Weight: 41 KD

Protein Tag: C-terminal His6

## 2. Amino Acid Sequence

MRWLLPWTLAAVAVLRVGNILATALSPTPTTMTFTPAPLEETTTRPEFCKWPCECPQSPPRCPLGVS  
LITDGCECKKICAAQQLGDNCTEAAICDPHRGLYCDYSGDRPRYAIGVCAQVVGVCVLDGVRYTNG  
ESFQPNCRYNCTCIDGTVGCTPLCLSPRPPRLWCRQPRHVRVPGQCCEQWVCDDDDARRPRQTAL  
LDTRAFAASGAVEQRYENCIAYTSPWSPCSTTCGLGISTRISNVNARCWPEQESRLCNLRPCDVDIQ  
LHIKAGKKCLAVYQPEEATNFTLAGCVSTRTYRPKYCGVCTDNRCCIPYKSKTISVDFQCPEGPGFS  
RQVLWINACFCNLSCRNPNDIFADLESYPDFEEIAN

## 3. Buffer Composition

Liquid format: PBS-based buffer containing 50% glycerol. Glycerol concentration can be customized upon customer request; please state special requirements when placing your order.

Lyophilized format: Buffer before lyophilization is PBS supplemented with 6% trehalose.

## 4. Storage Conditions

Upon receipt, store the product at -20 °C or -80 °C. Aliquot the product for on-demand use to preserve protein activity and prevent denaturation and inactivation caused by repeated freeze-thaw cycles.

## 5. Product Description

This product is recombinant CCN family member 4 (ELM-1) (WNT1-inducible-signaling pathway protein 1) (WISP-1) produced using the HEK293T eukaryotic cell expression system. It is suitable for in-vitro functional assays, protein-protein interaction studies, antibody preparation and other biomedical research applications.

**Protein Function:** Downstream regulator in the Wnt/Frizzled-signaling pathway (By similarity). Associated with cell survival. Adheres to skin and melanoma fibroblasts (By similarity). In vitro binding to skin fibroblasts occurs through the proteoglycans, decorin and biglycan (By similarity). Suppresses tumor growth in vivo.

**Subcellular Localization:** Secreted .

## 6. Notes

- Avoid repeated freeze-thaw cycles to maintain protein stability and biological activity.
- Please specify special buffer-composition requirements at the time of order placement.
- For research use only. Not intended for clinical diagnosis, therapeutic use or commercial manufacturing.