

Recombinant Mouse INHBB Protein

For Research Use Only

1. Basic Product Information

Catalog No.: REP51566

Size: 10ug, 100ug

Protein Name: Inhibin beta B chain (Activin beta-B chain)

Synonym: Inhbb

UniProt ID: Q04999

UniProt Link: www.uniprot.org/uniprotkb/Q04999/entry

Species Source: Mouse

Expression System: HEK293T eukaryotic cell expression system Sequence

Length: 411 AA

Molecular Weight: 45 KD

Protein Tag: C-terminal His6

2. Amino Acid Sequence

MDGLPGRALGAACLLLLVAGWLGPEAWGSPTPPPPSPAAPPPPPPPGAPGGSQDTCTSCGGGGGG
FRRPEELGRVDGDFLEAVKRHILSRQLRGRPNITHAVPKAAMVTALRKLHAGKVREDGRVEIPHL
GHASPGADGQERVSEIISFAETDGLASSRVRLYFFVSNEGNQNLFFVQASLWLYLKLLPYVLEKGS
RKVRVKVYFQEQGHGDRWNVVEKKVDLKRSGWHTFPITEAIQALFERGERLNLVDVQCDSCQELA
VVPVFVDPGEESHPRPFVVVQARLGDSRHRIRKRGLECDGRTSLCCRQQFFIDFRLIGWNDWIIAPT
GGYGYNYCEGSCPAYLAGVPGSASSFHTAVVNQYRMRLNPGPVNSCCIPTKLSSMSMLYFDDEYNIV
KRDVPNMIVEECGCA

3. Buffer Composition

Liquid format: PBS-based buffer containing 50% glycerol. Glycerol concentration can be customized upon customer request; please state special requirements when placing your order.

Lyophilized format: Buffer before lyophilization is PBS supplemented with 6% trehalose.

4. Storage Conditions

Upon receipt, store the product at -20 °C or -80 °C. Aliquot the product for on-demand use to preserve protein activity and prevent denaturation and inactivation caused by repeated freeze-thaw cycles.

5. Product Description

This product is recombinant Inhibin beta B chain (Activin beta-B chain) produced using the HEK293T eukaryotic cell expression system. It is suitable for in-vitro functional assays, protein-protein interaction studies, antibody preparation and other biomedical research applications.

Protein Function: Inhibins and activins inhibit and activate, respectively, the secretion of follitropin by the pituitary gland. Inhibins/activins are involved in regulating a number of diverse functions such as hypothalamic and pituitary hormone secretion, gonadal hormone secretion, germ cell development and maturation, erythroid differentiation, insulin secretion, nerve cell survival, embryonic axial development or bone growth, depending on their subunit composition. Inhibins appear to oppose the functions of activins.; Activin B is a dimer of alpha and beta-B that plays a role in several essential biological processes including embryonic development, stem cell maintenance and differentiation, haematopoiesis, cell proliferation and wound healing (PubMed:8125256). Signals through type I receptor ACVR1C, abundantly expressed in pancreatic beta cells, and type II receptors like ACVR2A. Upon ligand binding, these receptors phosphorylate intracellular signaling mediators SMAD2 and SMAD3, which form a complex with SMAD4, translocate to the nucleus, and regulate gene expression. Plays a crucial role in the induction of hepcidin by inflammation through activation of ACVR1C and subsequent phosphorylation of SMAD1/5/8 (PubMed:18480258). Regulates adipocyte lipid metabolism by decreasing non-esterified fatty acids and glycerol release and increases intracellular triglyceride content (PubMed:20382119). Stimulates wound healing by promoting cell migration and hair follicle regeneration through the JNK and ERK signaling pathways downstream of RHOA (PubMed:28396222, PubMed:35690801).; Inhibin B is a dimer of alpha and beta-B that plays a crucial role in the regulation of the reproductive system by inhibiting the secretion of follicle-stimulating hormone (FSH) from the anterior pituitary gland. Thereby, maintains reproductive homeostasis in both males and females. Acts as a more potent suppressor of FSH release than inhibin A (By similarity). Functions as competitive receptor antagonist binding activin type II receptors with high affinity in the presence of the TGF-beta type III coreceptor/TGFBR3L (By similarity).

Subcellular Localization: Secreted.

6. Notes

- Avoid repeated freeze-thaw cycles to maintain protein stability and biological activity.
- Please specify special buffer-composition requirements at the time of order placement.
- For research use only. Not intended for clinical diagnosis, therapeutic use or commercial manufacturing.