

Recombinant Mouse FGF8 Protein

For Research Use Only

1. Basic Product Information

Catalog No.: REP51399

Size: 10ug, 100ug

Protein Name: Fibroblast growth factor 8 (FGF-8) (Androgen-induced growth factor) (AIGF) (Heparin-binding growth factor 8) (HBGF-8)

Synonym: Fgf8, Aigf

UniProt ID: P37237

UniProt Link: www.uniprot.org/uniprotkb/P37237/entry

Species Source: Mouse

Expression System: HEK293T eukaryotic cell expression system Sequence

Length: 268 AA

Molecular Weight: 30 KD

Protein Tag: C-terminal His6

2. Amino Acid Sequence

MGSPRSALSCLLLHLLVLCLQAQVRSAAQKRGPAGNPADTLGQGHEDRPFQGQSRAGKNFTNPA
PNYP EEGSKEQRDSVLPKVTQRHVREQSLVTDQLSRRLIRTYQLYSRTSGKHVQVLANKRINAMAE
DGD PFAKLIVETDTFGSRVRVRGAETGLYICMNKKGKLIAKSNGKGDVFTFTEIVLENNYTALQNAKY
EGWYMAFTRKGRPRKGSKTRQHQRVHFMKRLPRGHHTTEQSLRFEFLNYPFTRSLRGSQRTW
APEPR

3. Buffer Composition

Liquid format: PBS-based buffer containing 50% glycerol. Glycerol concentration can be customized upon customer request; please state special requirements when placing your order.

Lyophilized format: Buffer before lyophilization is PBS supplemented with 6% trehalose.

4. Storage Conditions

Upon receipt, store the product at -20 °C or -80 °C. Aliquot the product for on-demand use to preserve protein activity and prevent denaturation and inactivation caused by repeated freeze-thaw cycles.

5. Product Description

This product is recombinant Fibroblast growth factor 8 (FGF-8) (Androgen-induced growth factor) (AIGF) (Heparin-binding growth factor 8) (HBGF-8) produced using the HEK293T eukaryotic cell expression system. It is suitable for in-vitro functional assays, protein-protein interaction studies, antibody preparation and other biomedical research applications.

Protein Function: Plays an important role in the regulation of embryonic development, cell proliferation, cell differentiation and cell migration. Required for normal brain, eye, ear and limb development during embryogenesis. Required for normal development of the gonadotropin-releasing hormone (GnRH) neuronal system. Plays a role in neurite outgrowth in hippocampal cells (By similarity). Cooperates with Wnt-1 in mouse mammary tumor virus-induced murine mammary tumorigenesis (PubMed:7884899).

Subcellular Localization: Secreted.

6. Notes

- Avoid repeated freeze-thaw cycles to maintain protein stability and biological activity.
- Please specify special buffer-composition requirements at the time of order placement.
- For research use only. Not intended for clinical diagnosis, therapeutic use or commercial manufacturing.