

Recombinant Mouse KCC1D Protein

For Research Use Only

1. Basic Product Information

Catalog No.: REP51740

Size: 10ug, 100ug

Protein Name: Calcium/calmodulin-dependent protein kinase type 1D (EC 2.7.11.17) (CaM kinase I delta) (CaM-KI delta) (CaMKI delta) (CaM kinase ID) (CaMKI-like protein kinase) (CKLiK) (mCKLiK)

Synonym: Camk1d

UniProt ID: Q8BW96

UniProt Link: www.uniprot.org/uniprotkb/Q8BW96/entry

Species Source: Mouse

Expression System: HEK293T eukaryotic cell expression system Sequence

Length: 385 AA

Molecular Weight: 43 KD

Protein Tag: C-terminal His6

2. Amino Acid Sequence

MARENGESSSSWKKQAEDIKKIFEFKETLGTGAFSEVVLAEKATGKLFVAVKCIKKALKGKESSIN
EIAVLRKIKHENIVALEDIYESPNHLYLVMQLVSGGELFDRIVEKGFYTEKDASTLIRQVLDAVYYLHRM
GIVHRDLKPENLLYYSQDEESKIMISDFGLSKMEGKGDVMSTACGTPGYVAPEVLAQKPYSKAVDC
WSIGVIAYILLCGYPFFYDENDSKLFEQILKAIEYFDSPYWDDISDSAKDFIRNLMEKDPNKRYTCEQ
AARHPWIAGDTALSKNIHESVSAQIRKNFAKSKWRQAFNATAVVRHMRRLQLGSSLDSSNASVSSN
LSLASQKDCLAPSTLCSFLSSSSGVAGVGAERRPRPTTVTTGHTGSK

3. Buffer Composition

Liquid format: PBS-based buffer containing 50% glycerol. Glycerol concentration can be customized upon customer request; please state special requirements when placing your order.

Lyophilized format: Buffer before lyophilization is PBS supplemented with 6% trehalose.

4. Storage Conditions

Upon receipt, store the product at -20 °C or -80 °C. Aliquot the product for on-demand use to preserve protein activity and prevent denaturation and inactivation caused by repeated freeze-thaw cycles.

5. Product Description

This product is recombinant Calcium/calmodulin-dependent protein kinase type 1D (EC 2.7.11.17) (CaM kinase I delta) (CaM-KI delta) (CaMKI delta) (CaM kinase ID) (CaMKI-like protein kinase) (CKLIK) (mCKLIK) produced using the HEK293T eukaryotic cell expression system. It is suitable for in-vitro functional assays, protein-protein interaction studies, antibody preparation and other biomedical research applications.

Protein Function: Calcium/calmodulin-dependent protein kinase that operates in the calcium-triggered CaMKK-CaMK1 signaling cascade and, upon calcium influx, activates CREB-dependent gene transcription, regulates calcium-mediated granulocyte function and respiratory burst and promotes basal dendritic growth of hippocampal neurons. In neutrophil cells, required for cytokine-induced proliferative responses and activation of the respiratory burst. Activates the transcription factor CREB1 in hippocampal neuron nuclei. May play a role in apoptosis of erythroleukemia cells. In vitro, phosphorylates transcription factor CREM isoform Beta (By similarity). Isoform 1 but not isoform 2 activates CREB1.

Subcellular Localization: Cytoplasm . Nucleus . Note=Predominantly cytoplasmic. Nuclear upon activation.

6. Notes

- Avoid repeated freeze-thaw cycles to maintain protein stability and biological activity.
- Please specify special buffer-composition requirements at the time of order placement.
- For research use only. Not intended for clinical diagnosis, therapeutic use or commercial manufacturing.