

Recombinant Mouse TNFL6 Protein

For Research Use Only

1. Basic Product Information

Catalog No.: REP51406

Size: 10ug, 100ug

Protein Name: Tumor necrosis factor ligand superfamily member 6 (CD95 ligand) (CD95-L) (Fas antigen ligand) (Fas ligand) (FasL) (CD antigen CD178) [Cleaved into: Tumor necrosis factor ligand superfamily member 6, membrane form; Tumor necrosis factor ligand superfamily member 6, soluble form (Receptor-binding FasL ectodomain) (Soluble Fas ligand) (sFasL); ADAM10-processed FasL form (APL); FasL intracellular domain (FasL ICD) (SPPL2A-processed FasL form) (SPA)]

Synonym: Faslg, Apt1lg1, Cd95l, Fasl, gld, Tnfsf6

UniProt ID: P41047

UniProt Link: www.uniprot.org/uniprotkb/P41047/entry

Species Source: Mouse

Expression System: HEK293T eukaryotic cell expression system Sequence

Length: 279 AA

Molecular Weight: 31 KD

Protein Tag: C-terminal His6

2. Amino Acid Sequence

MQQPMNYPQIFWVDSSATSSWAPPGSVFPCPSCGPRGPDQRRPPPPPPVSPPLPPPSQPLPLP
PLTPLKKKDHTNLWLPVFFMVLVALVGMGLGMYQLFHLQKELAELEFTNQSLKVSSFEKQIANP
STPSEKKEPRSAHLTGPNHSRISPLEWEDTYGTALISGVKYYKKGGLVINETGLYFVYSKVYFRGQS
CNNQPLNHKVMRNSKYPEDLVLMEEKRLNYCTTGQIWAHSSYLGAVFNLTADHLYVNISQLSLIN
FEESKTFGLYKL

3. Buffer Composition

Liquid format: PBS-based buffer containing 50% glycerol. Glycerol concentration can be customized upon customer request; please state special requirements when placing your order.

Lyophilized format: Buffer before lyophilization is PBS supplemented with 6% trehalose.

4. Storage Conditions

Upon receipt, store the product at -20 °C or -80 °C. Aliquot the product for on-demand use to preserve protein activity and prevent denaturation and inactivation caused by repeated freeze-thaw cycles.

5. Product Description

This product is recombinant Tumor necrosis factor ligand superfamily member 6 (CD95 ligand) (CD95-L) (Fas antigen ligand) (Fas ligand) (FasL) (CD antigen CD178) [Cleaved into: Tumor necrosis factor ligand superfamily member 6, membrane form; Tumor necrosis factor ligand superfamily member 6, soluble form (Receptor-binding FasL ectodomain) (Soluble Fas ligand) (sFasL); ADAM10-processed FasL form (APL); FasL intracellular domain (FasL ICD) (SPPL2A-processed FasL form) (SPA)] produced using the HEK293T eukaryotic cell expression system. It is suitable for in-vitro functional assays, protein-protein interaction studies, antibody preparation and other biomedical research applications.

Protein Function: Cytokine that binds to TNFRSF6/FAS, a receptor that transduces the apoptotic signal into cells (PubMed:7511063). Involved in cytotoxic T-cell-mediated apoptosis, natural killer cell-mediated apoptosis and in T-cell development (PubMed:19794494, PubMed:7532682). Initiates fratricidal/suicidal activation-induced cell death (AICD) in antigen-activated T-cells contributing to the termination of immune responses (PubMed:19794494). TNFRSF6/FAS-mediated apoptosis also has a role in the induction of peripheral tolerance (PubMed:10779162). Binds to TNFRSF6B/DcR3, a decoy receptor that blocks apoptosis (By similarity).; [Tumor necrosis factor ligand superfamily member 6, soluble form]: Induces FAS-mediated activation of NF-kappa-B, initiating non-apoptotic signaling pathways (PubMed:19794494). Can induce apoptosis but does not appear to be essential for this process (By similarity).; [FasL intracellular domain]: Cytoplasmic form induces gene transcription inhibition.

Subcellular Localization: [Isoform FasL]: Cell membrane ; Single-pass type II membrane protein . Cytoplasmic vesicle lumen . Lysosome lumen . Note=Is internalized into multivesicular bodies of secretory lysosomes after phosphorylation by FGR and monoubiquitination. Colocalizes with the SPPL2A protease at the cell membrane.; [Tumor necrosis factor ligand superfamily member 6, soluble form]: Secreted . Note=May be released into the extracellular fluid by cleavage from the cell surface.; [FasL intracellular domain]: Nucleus . Note=The FasL ICD cytoplasmic form is translocated into the nucleus.

6. Notes

- Avoid repeated freeze-thaw cycles to maintain protein stability and biological activity.
- Please specify special buffer-composition requirements at the time of order placement.
- For research use only. Not intended for clinical diagnosis, therapeutic use or commercial manufacturing.