

Recombinant Mouse TNF10 Protein

For Research Use Only

1. Basic Product Information

Catalog No.: REP51456

Size: 10ug, 100ug

Protein Name: Tumor necrosis factor ligand superfamily member 10 (TNF-related apoptosis-inducing ligand) (Protein TRAIL) (CD antigen CD253)

Synonym: Tnfsf10, Trail

UniProt ID: P50592

UniProt Link: www.uniprot.org/uniprotkb/P50592/entry

Species Source: Mouse

Expression System: HEK293T eukaryotic cell expression system Sequence

Length: 291 AA

Molecular Weight: 33 KD

Protein Tag: C-terminal His6

2. Amino Acid Sequence

MPSSGALKDLSFSQHFMMVICIVLLQVLLQAVSVAVTYMYFTNEMKQLQDNYSKIGLACFSKTDED
FWDSTDGEILNRPCQLQVQRQLYQLIEEVTLRTFQDTISTVPEKQLSTPPLPRGGRPQKVAAHITGTR
RSNSALIPISKDGKTLGQKIESWESSRKGHSLNHLVFRNGELVIEQEGLYIYSQTYFRFQEAEDAS
KMSKDKVVRTKQLVQYIYKYTSYPDPIVLMKSARNSCWSRDAEYGLYSIQGGFLFELKKNDRIFVSV
TNEHLMDLQDEASFFGAFLIN

3. Buffer Composition

Liquid format: PBS-based buffer containing 50% glycerol. Glycerol concentration can be customized upon customer request; please state special requirements when placing your order.

Lyophilized format: Buffer before lyophilization is PBS supplemented with 6% trehalose.

4. Storage Conditions

Upon receipt, store the product at -20 °C or -80 °C. Aliquot the product for on-demand use to preserve protein activity and prevent denaturation and inactivation caused by repeated freeze-thaw cycles.

5. Product Description

This product is recombinant Tumor necrosis factor ligand superfamily member 10 (TNF-related apoptosis-inducing ligand) (Protein TRAIL) (CD antigen CD253) produced using the HEK293T eukaryotic cell expression system. It is suitable for in-vitro functional assays, protein-protein interaction studies, antibody preparation and other biomedical research applications.

Protein Function: Cytokine that binds to TNFRSF10A/TRAILR1, TNFRSF10B/TRAILR2, TNFRSF10C/TRAILR3, TNFRSF10D/TRAILR4 and possibly also to TNFRSF11B/OPG. Induces apoptosis. Its activity may be modulated by binding to the decoy receptors TNFRSF10C/TRAILR3, TNFRSF10D/TRAILR4 and TNFRSF11B/OPG that cannot induce apoptosis.

Subcellular Localization: Cell membrane ; Single-pass type II membrane protein . Secreted .
Note=Exists both as membrane-bound and soluble form.

6. Notes

- Avoid repeated freeze-thaw cycles to maintain protein stability and biological activity.
- Please specify special buffer-composition requirements at the time of order placement.
- For research use only. Not intended for clinical diagnosis, therapeutic use or commercial manufacturing.