

Recombinant Human CXL16 Protein

For Research Use Only

1. Basic Product Information

Catalog No.: REP50245

Size: 10ug, 100ug

Protein Name: C-X-C motif chemokine 16 (Scavenger receptor for phosphatidylserine and oxidized low density lipoprotein) (SR-PSOX) (Small-inducible cytokine B16) (Transmembrane chemokine CXCL16)

Synonym: CXCL16, SCYB16, SRPSOX, UNQ2759/PRO6714

UniProt ID: Q9H2A7

UniProt Link: www.uniprot.org/uniprotkb/Q9H2A7/entry

Species Source: Human

Expression System: HEK293T eukaryotic cell expression system Sequence

Length: 254 AA

Molecular Weight: 28 KD

Protein Tag: C-terminal His6

2. Amino Acid Sequence

MGRDLRPGSRVLLLLLLLLLVYLTQPGNGNEGSVTGSCYCGKRISDSPPSVQFMNRLRKHLRAYH
RCLYYTRFQLLSWSVCGGNKDPWVQELMSCLDLKECGHAYSGIVAHQKHLLPTSPPIQASEGASS
DIHTPAQMILLSTLQSTQRPTLPVGSLSDDKELTRPNETTIHTAGHSLAAGPEAGENQKQPEKNAGPT
ARTSATVPVLCLLAIIFILTAALSYVLCKRRRGQSPQSSPDLPVHYIPVAPDSNT

3. Buffer Composition

Liquid format: PBS-based buffer containing 50% glycerol. Glycerol concentration can be customized upon customer request; please state special requirements when placing your order.

Lyophilized format: Buffer before lyophilization is PBS supplemented with 6% trehalose.

4. Storage Conditions

Upon receipt, store the product at -20 °C or -80 °C. Aliquot the product for on-demand use to preserve protein activity and prevent denaturation and inactivation caused by repeated freeze-thaw cycles.

5. Product Description

This product is recombinant C-X-C motif chemokine 16 (Scavenger receptor for phosphatidylserine and oxidized low density lipoprotein) (SR-PSOX) (Small-inducible cytokine B16) (Transmembrane chemokine CXCL16) produced using the HEK293T eukaryotic cell expression system. It is suitable for in-vitro functional assays, protein-protein interaction studies, antibody preparation and other biomedical research applications.

Protein Function: Acts as a scavenger receptor on macrophages, which specifically binds to OxLDL (oxidized low density lipoprotein), suggesting that it may be involved in pathophysiology such as atherogenesis (By similarity). Induces a strong chemotactic response. Induces calcium mobilization. Binds to CXCR6/Bonzo.

Subcellular Localization: Cell membrane ; Single-pass type I membrane protein . Secreted.
Note=Also exists as a soluble form.

6. Notes

- Avoid repeated freeze-thaw cycles to maintain protein stability and biological activity.
- Please specify special buffer-composition requirements at the time of order placement.
- For research use only. Not intended for clinical diagnosis, therapeutic use or commercial manufacturing.