

Recombinant Mouse CD47 Protein

For Research Use Only

1. Basic Product Information

Catalog No.: REP51653

Size: 10ug, 100ug

Protein Name: Leukocyte surface antigen CD47 (Integrin-associated protein) (IAP) (CD antigen CD47)

Synonym: Cd47

UniProt ID: Q61735

UniProt Link: www.uniprot.org/uniprotkb/Q61735/entry

Species Source: Mouse

Expression System: HEK293T eukaryotic cell expression system Sequence

Length: 303 AA

Molecular Weight: 33 KD

Protein Tag: C-terminal His6

2. Amino Acid Sequence

MWPLAAALLLGSCCCGSAQLLFSNVNSIEFTSCNETVVIPCIVRNVEAQSTEEMFVKWKLNKSIFY
DGNKNSTTTDQNFTSAKISVSDLINGIASLKMDKRDAMVGNYTCEVTELSREGKTVELKNRTVSWFS
PNEKILIVIFPILAILLFWGKFGILTLYKSSHTNKRIILLVAGLVLTIVVVVGAILLIPGEKPVKNASGLGLI
VISTGILILLQYNVFMTAFGMTSFTAILITQVLGYVLALVGLCLCIMACEPVHGPLLISGLGIIALAELLGL
VYMKFVASNQRTIQPPNR

3. Buffer Composition

Liquid format: PBS-based buffer containing 50% glycerol. Glycerol concentration can be customized upon customer request; please state special requirements when placing your order.

Lyophilized format: Buffer before lyophilization is PBS supplemented with 6% trehalose.

4. Storage Conditions

Upon receipt, store the product at -20 °C or -80 °C. Aliquot the product for on-demand use to preserve protein activity and prevent denaturation and inactivation caused by repeated freeze-thaw cycles.

5. Product Description

This product is recombinant Leukocyte surface antigen CD47 (Integrin-associated protein) (IAP) (CD antigen CD47) produced using the HEK293T eukaryotic cell expression system. It is suitable for in-vitro functional assays, protein-protein interaction studies, antibody preparation and other biomedical research applications.

Protein Function: Adhesive protein that mediates cell-to-cell interactions (By similarity). Acts as a receptor for thrombospondin THBS1 and as modulator of integrin signaling through the activation of heterotrimeric G proteins (By similarity). Involved in signal transduction, cardiovascular homeostasis, inflammation, apoptosis, angiogenesis, cellular self-renewal, and immunoregulation (PubMed:20610415, PubMed:23591719, PubMed:27742621). Plays a role in modulating pulmonary endothelin EDN1 signaling (PubMed:27742621). Modulates nitrous oxide (NO) signaling, in response to THBS1, hence playing a role as a pressor agent, supporting blood pressure (PubMed:20610415). Plays an important role in memory formation and synaptic plasticity in the hippocampus (By similarity). Receptor for SIRPA, binding to which prevents maturation of immature dendritic cells and inhibits cytokine production by mature dendritic cells (By similarity). Interaction with SIRPG mediates cell-cell adhesion, enhances superantigen-dependent T-cell-mediated proliferation and costimulates T-cell activation (By similarity). Positively modulates FAS-dependent apoptosis in T-cells, perhaps by enhancing FAS clustering (PubMed:15917238). Plays a role in suppressing angiogenesis and may be involved in metabolic dysregulation during normal aging (PubMed:32679764). In response to THBS1, negatively modulates wound healing (PubMed:18156939). Inhibits stem cell self-renewal, in response to THBS1, probably by regulation of the stem cell transcription factors POU5F1/OCT4, SOX2, MYC/c-Myc and KLF4 (PubMed:23591719). May play a role in membrane transport and/or integrin dependent signal transduction (By similarity). May prevent premature elimination of red blood cells (PubMed:10856220).

Subcellular Localization: Cell membrane ; Multi-pass membrane protein .

6. Notes

- Avoid repeated freeze-thaw cycles to maintain protein stability and biological activity.
- Please specify special buffer-composition requirements at the time of order placement.
- For research use only. Not intended for clinical diagnosis, therapeutic use or commercial manufacturing.