

Recombinant Human ASB11 Protein

For Research Use Only

1. Basic Product Information

Catalog No.: REP50052

Size: 10ug, 100ug

Protein Name: Ankyrin repeat and SOCS box protein 11 (ASB-11)

Synonym: ASB11

UniProt ID: Q8WXH4

UniProt Link: www.uniprot.org/uniprotkb/Q8WXH4/entry

Species Source: Human

Expression System: HEK293T eukaryotic cell expression system Sequence

Length: 323 AA

Molecular Weight: 35 KD

Protein Tag: C-terminal His6

2. Amino Acid Sequence

MEDGPVFGFKNIFITMFATFFFFKLLIKVFLALLTHFYIVKGNRKEAARIAEEIYGGISDCWADRSP
LHEAAQGRLLALKTLIAQGVNVNLVTINRVSSLHEACLGGHVACAKALLENHAHVNGVTVHGATPLFN
ACCSGSAACVNVLLFEFGAKAQLEVHLASPIHEAVKRGHRECMEILLANNVNIDHEVPQLGTPLYVAC
TYQRVDCVKLLELGASVDHGQWLDTPLHAAARQSNVEVIHLLTDYGANLKR RNAQGKSALDLAAP
KSSVEQALLLREGPPALSQLCRLCVRKCLGRACHQAIHKLHLPEPLERFLLYQ

3. Buffer Composition

Liquid format: PBS-based buffer containing 50% glycerol. Glycerol concentration can be customized upon customer request; please state special requirements when placing your order.

Lyophilized format: Buffer before lyophilization is PBS supplemented with 6% trehalose.

4. Storage Conditions

Upon receipt, store the product at -20 °C or -80 °C. Aliquot the product for on-demand use to preserve protein activity and prevent denaturation and inactivation caused by repeated freeze-thaw cycles.

5. Product Description

This product is recombinant Ankyrin repeat and SOCS box protein 11 (ASB-11) produced using the HEK293T eukaryotic cell expression system. It is suitable for in-vitro functional assays, protein-protein interaction studies, antibody preparation and other biomedical research applications.

Protein Function: Substrate-recognition component of a cullin-5-RING E3 ubiquitin-protein ligase complex (ECS complex, also named CRL5 complex), which mediates the ubiquitination and subsequent proteasomal degradation of target proteins, such as BIK, DIRAS2 and RPN1 (PubMed:24337577, PubMed:31387940, PubMed:38574733). The ECS(ASB11) complex acts as a regulator of the endoplasmic reticulum unfolded protein response by mediating ubiquitination and degradation of BIK (PubMed:31387940).

Subcellular Localization: Endoplasmic reticulum .

6. Notes

- Avoid repeated freeze-thaw cycles to maintain protein stability and biological activity.
- Please specify special buffer-composition requirements at the time of order placement.
- For research use only. Not intended for clinical diagnosis, therapeutic use or commercial manufacturing.