

Recombinant Human ZN675 Protein

For Research Use Only

1. Basic Product Information

Catalog No.: REP51101

Size: 10ug, 100ug

Protein Name: Zinc finger protein 675 (TRAF6-binding zinc finger protein) (TRAF6-inhibitory zinc finger protein)

Synonym: ZNF675, TIZ

UniProt ID: Q8TD23

UniProt Link: www.uniprot.org/uniprotkb/Q8TD23/entry

Species Source: Human

Expression System: HEK293T eukaryotic cell expression system Sequence

Length: 568 AA

Molecular Weight: 66 KD

Protein Tag: C-terminal His6

2. Amino Acid Sequence

MGLLTFRDVAIEFSLEEWWQCLDTAQRNLYKNVILENYRNLVFLGIAVSKQDLITCLEQEKEPLTVKRHE
MVNEPPVMCSHFAQEFWPEQNIKDSFEKVTLRRYEKCGNDNFQLKGCKSVDECKLHKGGYNGLNQ
CLPTMQSKMFQCDKYVKVFNKFSHSDRHKIKHMENKPFKCKECSRFCMLSHLTRHERNYTKVNF
CKCEECEKAVNQSSKLTCHKRIYTCEKLYKCQECDRFTNQFSNLTEYKKDYAREKPYKCEECEGKAF
NQSSHLTTHKIIHTGEKPYKCEECEGKAFNQFSNLTTHKKIHTGEQPYICEECGKAFTQSSTLTTHKRIH
TGEKPYKCEECEGKAFNRSSKLTCHKNIHTGEQPYKCEECEGKAFNRSSNLTEHRKIHTEEKPYKCKEC
GKAFKHSSALTTHKRIHTGEKPYKCEECEGKAFNRSSKLTCHKKLHTGKKPYKCEECEGKAFIGSSKLT
EHKKIHSGEIPYKCEECEGKAFKHSSSLTTHKRIHTGEKPYKCEECEGKAFSRSSKLTCHKIIHTGEKPYK
CERCDKAFNQSANLTKHKKIHTGEKLQNNV

3. Buffer Composition

Liquid format: PBS-based buffer containing 50% glycerol. Glycerol concentration can be customized upon customer request; please state special requirements when placing your order.

Lyophilized format: Buffer before lyophilization is PBS supplemented with 6% trehalose.

4. Storage Conditions

Upon receipt, store the product at -20 °C or -80 °C. Aliquot the product for on-demand use to preserve protein activity and prevent denaturation and inactivation caused by repeated freeze-thaw cycles.

5. Product Description

This product is recombinant Zinc finger protein 675 (TRAF6-binding zinc finger protein) (TRAF6-inhibitory zinc finger protein) produced using the HEK293T eukaryotic cell expression system. It is suitable for in-vitro functional assays, protein-protein interaction studies, antibody preparation and other biomedical research applications.

Protein Function: May be involved in transcriptional regulation. May play a role during osteoclast differentiation by modulating TRAF6 signaling activity.

Subcellular Localization: Nucleus .

6. Notes

- Avoid repeated freeze-thaw cycles to maintain protein stability and biological activity.
- Please specify special buffer-composition requirements at the time of order placement.
- For research use only. Not intended for clinical diagnosis, therapeutic use or commercial manufacturing.