

Recombinant Rat LRB3A Protein

For Research Use Only

1. Basic Product Information

Catalog No.: REP52624

Size: 10ug, 100ug

Protein Name: Leukocyte immunoglobulin-like receptor subfamily B member 3A

Synonym: Lilrb3a

UniProt ID: C0HJX2

UniProt Link: www.uniprot.org/uniprotkb/C0HJX2/entry

Species Source: Rat

Expression System: HEK293T eukaryotic cell expression system Sequence

Length: 744 AA

Molecular Weight: 83 KD

Protein Tag: C-terminal His6

2. Amino Acid Sequence

MTFTFTALLCLGLTLGLWIPVLTGSLPKPILRVQPDSVSMGTTVTFICEETIGAKQSYLYRNGNLQRR
VPKNNQKPTNKTEFLFLNVGHQNAQGYHCSYKSQKGSSDYSEPLELVVTGAYSKPSLSAQTNPVVT
SGGYVTLKCEPSHYGHTLILTVEGPQKLSWRQDPQCNYTENCHVLFYVGPLTSNQRWIFRCYSYE
TNTPVWSAPSEPVEILVSGKLQKPTIKAEPGSVIHSGKAMIIWCQGDLD AEIYFLHKEGSHNTQSTQ
TLQQPGNKAKLFIRPVTQGHAGDYRCYYYSSAGWSEPSDTLELVVTGIYNYHPLMLSGPPSPVVPE
GGNVTLHCTSHRYDYDKFILIKEDQKFSSSLDTKYISSTGQHQA LFVMGPMTPNYSGTFRCYGYKHT
PQLWSEPSNLLKILITGQLHHVLFLSVMPNSTVHSGENVTLMCWSTYSVDTFILSKEGSGQPPLRLKS
KIQDQQYQSEFSMSGVTSKLSGTYRCYGS HDSSLYLLSFASAPVELIVSGPIRTSDLPPTMSIPPDGL
QRYLKALIGVSVAFLFLFILIFILLRRRHQEKFRKDDEDAQKGKELQLSTGAAEPVTRDRGHQKRSNP
AAATQEESLYASVEDMETKDGVELDTWKPEGDPQGETYAQVEPSRLRRAGAISPVVSREQLNTKY
EQAEEGQEVD SQATESEEPQDVTYAQLCSRTL RQGTAAPLSQAGEAPEEPSVYAALATARPGAV
PKNKKQ

3. Buffer Composition

Liquid format: PBS-based buffer containing 50% glycerol. Glycerol concentration can be customized upon customer request; please state special requirements when placing your order.

Lyophilized format: Buffer before lyophilization is PBS supplemented with 6% trehalose.

4. Storage Conditions

Upon receipt, store the product at -20 °C or -80 °C. Aliquot the product for on-demand use to preserve protein activity and prevent denaturation and inactivation caused by repeated freeze-thaw cycles.

5. Product Description

This product is recombinant Leukocyte immunoglobulin-like receptor subfamily B member 3A produced using the HEK293T eukaryotic cell expression system. It is suitable for in-vitro functional assays, protein-protein interaction studies, antibody preparation and other biomedical research applications.

Protein Function: May act as receptor for class I MHC antigens. Becomes activated upon coligation with immune receptors, such as FCGR2B and the B-cell receptor. Down-regulates antigen-induced B-cell activation by recruiting phosphatases to its immunoreceptor tyrosine-based inhibitor motifs (ITIM).

Subcellular Localization: Cell membrane ; Single-pass membrane protein .

6. Notes

- Avoid repeated freeze-thaw cycles to maintain protein stability and biological activity.
- Please specify special buffer-composition requirements at the time of order placement.
- For research use only. Not intended for clinical diagnosis, therapeutic use or commercial manufacturing.