

Recombinant Human TNF13 Protein

For Research Use Only

1. Basic Product Information

Catalog No.: REP50990

Size: 10ug, 100ug

Protein Name: Tumor necrosis factor ligand superfamily member 13 (A proliferation-inducing ligand) (APRIL) (TNF- and APOL-related leukocyte expressed ligand 2) (TALL-2) (TNF-related death ligand 1) (TRDL-1) (CD antigen CD256)

Synonym: TNFSF13, APRIL, TALL2, ZTNF2, UNQ383/PRO715

UniProt ID: O75888

UniProt Link: www.uniprot.org/uniprotkb/O75888/entry

Species Source: Human

Expression System: HEK293T eukaryotic cell expression system Sequence

Length: 250 AA

Molecular Weight: 27 KD

Protein Tag: C-terminal His6

2. Amino Acid Sequence

MPASSPFLLAPKGPVPGNMGGPVREPALSVALWLSWGAALGAVACAMALLTQQTELQSLRREVSRL
QGTGGPSQNGEGYPWQSLPEQSSDALEAWENGERSRKRRVLTQKQKKQHSVLHLVPINATSKD
DSDVTEVMWQPALRRGRGLQAQGYGVRIQDAGVYLLYSQVLFQDVTFTMGQVVSREGQGRQETL
FRCIRSMPSHPDRAYNSCYSAGVFHLHQGDILSVIIPRARA KLNLSPHGTFLGFVKL

3. Buffer Composition

Liquid format: PBS-based buffer containing 50% glycerol. Glycerol concentration can be customized upon customer request; please state special requirements when placing your order.

Lyophilized format: Buffer before lyophilization is PBS supplemented with 6% trehalose.

4. Storage Conditions

Upon receipt, store the product at -20 °C or -80 °C. Aliquot the product for on-demand use to preserve protein activity and prevent denaturation and inactivation caused by repeated freeze-thaw cycles.

5. Product Description

This product is recombinant Tumor necrosis factor ligand superfamily member 13 (A proliferation-inducing ligand) (APRIL) (TNF- and APOL-related leukocyte expressed ligand 2) (TALL-2) (TNF-related death ligand 1) (TRDL-1) (CD antigen CD256) produced using the HEK293T eukaryotic cell expression system. It is suitable for in-vitro functional assays, protein-protein interaction studies, antibody preparation and other biomedical research applications.

Protein Function: Cytokine that binds to TNFRSF13B/TACI and to TNFRSF17/BCMA. Plays a role in the regulation of tumor cell growth. May be involved in monocyte/macrophage-mediated immunological processes.

Subcellular Localization: Secreted .

6. Notes

- Avoid repeated freeze-thaw cycles to maintain protein stability and biological activity.
- Please specify special buffer-composition requirements at the time of order placement.
- For research use only. Not intended for clinical diagnosis, therapeutic use or commercial manufacturing.