

Recombinant Mouse INLR1 Protein

For Research Use Only

1. Basic Product Information

Catalog No.: REP51764

Size: 10ug, 100ug

Protein Name: Interferon lambda receptor 1 (IFN-lambda R1) (Cytokine receptor class-II member 12) (Cytokine receptor family 2 member 12) (CRF2-12) (Interleukin-28 receptor subunit alpha) (IL-28 receptor subunit alpha) (IL-28R-alpha) (IL-28RA)

Synonym: Ifnlr1, Il28ra

UniProt ID: Q8CGK5

UniProt Link: www.uniprot.org/uniprotkb/Q8CGK5/entry

Species Source: Mouse

Expression System: HEK293T eukaryotic cell expression system Sequence

Length: 535 AA

Molecular Weight: 60 KD

Protein Tag: C-terminal His6

2. Amino Acid Sequence

MWRADRWAPLLLFLQSA LGRPLAPPRNVT LFSQNFTVYLTWLPGLGSPPNVTYFVTYQSYIKTG
WRPVEHCAGIKALVCPLMCLKKNLYSKFKGRVQAASAHGRSPRVESRYLEYLFDVELAPPTLVLTQ
MEKILRVNATYQLPPC MPSLELKYQVEFWKEGLGSKTLFPDTPYGQPVQIPLQQGASRRHCLSART
VYTLIDIKYSQFSEPS CIFLEAPGDKRAVLAMPSLLLLLIAAVAAGVAWKIMKGNPWFQGVKTPRALDF
SEYRYPVATFQPSGPEFSDDLILCPQKELTIRNRPAPQVRNPATLQAGPERDSTEDEDTDYDDD
GDSVQPYLERPLFISEKPRVMEHSETDESGVDSGGPWTSPVGS DGS SAWDSSDRWSSTGDSSY
KDEVGSSSCLDRKEPDQAPCGDWLQEALPCLEFSED LGTVEEPLKDGLSGWRISGSLSSKRD LAPV
EPPVSLQTLTFCWVNNPEGEEEEEQEDEEEEEEEEEEDWESEPKGSNAGCWGTSSVQRTEVRGRM
LGDYLVR

3. Buffer Composition

Liquid format: PBS-based buffer containing 50% glycerol. Glycerol concentration can be customized upon customer request; please state special requirements when placing your order.

Lyophilized format: Buffer before lyophilization is PBS supplemented with 6% trehalose.

4. Storage Conditions

Upon receipt, store the product at -20 °C or -80 °C. Aliquot the product for on-demand use to preserve protein activity and prevent denaturation and inactivation caused by repeated freeze-thaw cycles.

5. Product Description

This product is recombinant Interferon lambda receptor 1 (IFN-lambda R1) (Cytokine receptor class-II member 12) (Cytokine receptor family 2 member 12) (CRF2-12) (Interleukin-28 receptor subunit alpha) (IL-28 receptor subunit alpha) (IL-28R-alpha) (IL-28RA) produced using the HEK293T eukaryotic cell expression system. It is suitable for in-vitro functional assays, protein-protein interaction studies, antibody preparation and other biomedical research applications.

Protein Function: The IFNLR1/IL10RB dimer is a receptor for the cytokine ligands IFNL2 and IFNL3 and mediates their antiviral activity. The ligand/receptor complex stimulates the activation of the JAK/STAT signaling pathway leading to the expression of IFN-stimulated genes (ISG), which contribute to the antiviral state. Determines the cell type specificity of the lambda interferon action. Shows a more restricted pattern of expression in the epithelial tissues thereby limiting responses to lambda interferons primarily to epithelial cells of the respiratory, gastrointestinal, and reproductive tracts. Seems not to be essential for early virus-activated host defense in vaginal infection, but plays an important role in Toll-like receptor (TLR)-induced antiviral defense. Plays a significant role in the antiviral immune defense in the intestinal epithelium.

Subcellular Localization: Membrane ; Single-pass type I membrane protein .

6. Notes

- Avoid repeated freeze-thaw cycles to maintain protein stability and biological activity.
- Please specify special buffer-composition requirements at the time of order placement.
- For research use only. Not intended for clinical diagnosis, therapeutic use or commercial manufacturing.